

X30

..... InFocus



X30

InFocus

Leap into the new experience.



This meeting room projector is the first to integrate BrilliantColor™ with such impressive power.

Your eyes will be excited to witness the revolutionary X30 digital multimedia projector, featuring the latest DLP® BrilliantColor™ chipsets. Enjoy true-to-life color reproduction with unrivaled accuracy, and unlike LCD projectors which use only 3 hues, the X30 makes use of up to 5 separate colors which perfects midrange clarity and brightness. This projector is what creative professionals have been waiting for, and something audiences everywhere will enjoy.


For the detail-savvy the X30 is compatible with UXGA (1600x1200) resolution, and offers higher native resolution than 720p HD display devices. Also, with 30 degrees of both Horizontal and Vertical keystone control this projector will make a perfect square (or rectangular) image on your screen. You get the dependability and long life of DLP, the true colors and clarity which were previously missing, and zero sacrifices.

Reap the rewards

The X30 showcases seamless image adjustment and clarity with 3000 lumens! This projector will fit in any room, and the onboard BrilliantColor™ technology yields greater contrast ratios than typical DLP output. You'll experience approximately 3x the image depth, and when combined with InFocus high-output light engines, the X30 provides ample power with eye-pleasing colours for any presentation environment.

Hide Nothing


The X30 features the BrilliantColor™ chipset from DLP. Users and audience members are now free from fading colors and decreased contrast, while all LCD-based projector systems fall victim to this costly “battle against the clock”. Over time InFocus DLP projectors yield a lower expense and continually outperform LCD projectors. The X30 implements InFocus 24x7 operation standard - components are kept cool, controlled and isolated from the elements, allowing you to project 24-hours a day without worry. Designed for high-resolution video and data sources this innovative projector will showcase every multimedia presentation as you’ve never witnessed – until today.



◀ Digital and analog video inputs combine with audio connectivity, RS-232 control and Kensington(R) security.

The X30 presents:

- Vivid colors with DLP® BrilliantColor™ technology
- Rigorously tuned & color calibrated from our facility - no setup necessary
- Wireless-ready with the LiteShow II adaptor
- Exceptionally bright: 3000 lumens
- Rich contrast (1400:1)
- High Resolution – XGA native
- Mac & PC ready
- Built to last: No filters to clean or replace.



Shoot-out imagery for BrilliantColor™ vs. Standard DLP: InFocus with BrilliantColor™ is the most true-to-source projector system available.

InFocus with DLP® BrilliantColor™ Technology Standard DLP®


Enduring Quality

If you're happy, InFocus is happy. That's why every InFocus projector comes with a standard limited factory warranty (including parts and labor) and a limited lamp-replacement warranty. Extended product & lamp warranty programs are also available.

For more information about warranty and service programs in your region, please visit: www.infocus.com/service

Optional Accessories

Projection Screens (4:3, 16:10 & 16:9)
 High Performance Cables & Adaptors
 LiteShow II Wireless Adaptor
 Advanced Remote Control (HW-COMMANDER)
 Briefcase and Rollercase
 Ceiling Mount (SP-CEIL-UNIV)
 Security Locks
 Replacement Lamp (SP-LAMP-026)



InFocus Corporate Headquarters:

27500 SW Parkway Avenue
 Wilsonville, Oregon 97070-9215, USA
 Phone: 503-685-8888
 1-800-294-6400
 Fax: 503-685-8887

In Europe

Louis Armstrongweg 110
 1311 RL Almere
 The Netherlands
 Freephone: 008000 4636287 (008000
 INFOCUS)
 Fax: (31) 36 5392999

In Asia

19 Tanglin Road
 7th Floor
 Singapore 247909
 Phone: (65) 6513-9600
 Fax: (65) 6238-0510

INFOCUS TECHNICAL SPECIFICATIONS*

Native Resolution	XGA
Display Technology	Texas Instruments DLP® Technology 0.7" DDP with BrilliantColor™
Input Sources	M1-DA, VGA (HD15), S-video, Composite Video, Audio (3.5mm), RS232
Output Sources	Video Out (HD15), Audio (3.5mm)
Computer Compatibility	VGA(640x480) to UXGA (1600x1200), Macintosh
Video Compatibility	NTSC/NTSC4.43/PAL/PAL-M/PAL-N/SECAM and SDTV(480i/576i), EDTV(480p/576p), HDTV(720p/1080i)
Brightness	3000 lm normal, 2200 lm eco
Contrast Ratio	1,400:1
Aspect Ratio	4:3 (default), 5:4, 16:9
Number of Colors	16.7 Million, True color
Color Wheel	5 segment (RGBYW)
Brightness Uniformity	95%
H-Synch Range	15.6 - 85kHz
V-Synch Range	48 - 85Hz
Digital Keystone Correction	Vertical +/- 30 deg. Horizontal +/- 30 deg
Standard Projection Lens	F number: F2.3~F2.7, Focal length: 23.6~28.25mm
Zoom Ratio	1.2:1 (manual zoom)
Throw Ratio	1.83 - 2.27 (Distance/Width)
Projection Distance	4.9 - 32.8 ft (1.5 - 10 m)
Lens Offset	115%
Image Size (diagonal)	30~300" (0.7~8.0m)
Projection Methods	Front, ceiling front, rear, rear ceiling
Audio	3.0W speaker
Control	RS232
Lamp	220W/160W eco mode
Lamp Life	3500 hrs. (eco mode)**
Product Dimensions	7.44 x 26.31 x 21.77 cm HxWxD
Product Weight	5lb (2.27 kg)
Product Color	Black and Silver
Shipping Weight	10lbs (4.54 kg)
Shipping Dimensions	20.32 x 38.1 x 50.8 cm HxWxD
Power Consumption	272 Watts normal, 205 Watts Eco mode
Power Supply	100~240Vac, 50/60Hz
Operating Temperature	50 - 95° F (10 - 35° C)
Max Altitude	7500 ft (2286m)
Ships with	AC power cord x 1 (1.8m), M1 VGA cable (1.8m) x1, Remote controller x1 w/ battery, carry case, Multi-language user's guide in CD x 1, Warranty card x 1, Safety card x 1, Lens caps x 1
Menu Languages	English/French/German/Italian/Korean/Swedish/Russian/Spanish/Simple Chinese/Traditional Chinese/Norwegian/Finish/Danish/Polish/Turkish/Portuguese/Dutch
Audible Noise	Normal 35dBA; Eco 32dBA
Approvals	UL and c-UL (US/Canada), FCC-A (US/Canada), CE (CE member countries), GOST (Russia), TUV GS (Germany), CCC (China), IRAM (Argentina), NOM (Mexico), C-Tick (Australia)
Warranty	1 Year Maintenance Free Technology and 24 hour operation compatible
Lamp Warranty	90 Days
Security	Kensington slot, Pin Feature

* All specifications subject to change

** Actual lamp life may vary based on the ambient environment. Conditions that may affect lamp life include temperature, altitude, and rapidly switching the projector on and off.