



**MITSUBISHI
ELECTRIC**

PRESENTATION PRODUCTS

SD110U

SVGA DLP™ PROJECTOR



Superior Brightness and Flexibility at a Low Cost.

The SD110U offers exceptional performance, reliability and quality at an affordable price. Designed for the mobile user in-mind, this SVGA projector features a bright 1700 ANSI lumens, 2000:1 contrast ratio, up to 4000 hours lamp life and only weighs a total of 5.5 pounds. This DLP™ projector supports high quality data and video images and is backed by Mitsubishi's exclusive ERA and warranty program.



The SD110U is an excellent choice for the cost conscious user who does not want to compromise on performance, quality and reliability.

- DLP™ technology
- Native SVGA (800x600) resolution
- 1700 ANSI lumens
- 2000:1 High contrast ratio
- Up to 4000 hours lamp life
- Lightweight at only 5.5 lbs
- 3-years or 10,000-hours on the TI-DLP DMD Chip, 2-years part and labor, 2-years Express Replacement Assistance (ERA), 90-days or 300-hours lamp warranty

SD110U

SVGA DLP™ PROJECTOR

TOP VIEW



BACK VIEW






SIDE VIEW



FRONT VIEW

DISPLAY TECHNOLOGY	0.55", 1-Chip DMD, 12 deg. DDR, DDP2000
RESOLUTION	800 x 600 (Total 480,000 pixels), 500 Video Lines, 1024 x 768 Compressed
BRIGHTNESS	1700 ANSI Lumens
CONTRAST RATIO	2000 : 1
ZOOM/FOCUS	Manual Focus & Zoom Lens
PROJECTION LENS	F= 2.4 (Wide) 100" @ 3.2m (Wide)
THROW RATIO	1.56 - 1.87
OFF SET AXIS	7.9 : -1 up
PICTURE SIZE	40-300 (Diagonal) inch
SOURCE LAMP	200W (Shut Off Time 2000 Hrs) with Low Mode (160W: Shut Off Time 4000 Hrs)
PC COMPATIBILITY	Resolution: 640 x 400 - 800 x 600 + Compressed 1024 x 768 Sync on Green available
VIDEO COMPATIBILITY	NTSC/NTSC 4.43/PAL (including PAL-M, N) /SECAM/PAL-60, Component Video; 480i/p (525i/p), 576i/p (625i/p), 720p (750p), 1080i (1125i 60Hz), 1080i (1125i 50Hz)
INPUT TERMINALS	RGB: Mini D-sub 15pin x 1 Audio: Stereo Mini Jack (ø 3.5mm) x 1 Video: RCA x 1 + S-VIDEO x 1
OUTPUT TERMINAL	RGB: Mini D-sub 15pin x 1 Audio: Stereo minijack (ø 3.5mm) x 1
COMMUNICATION TERMINAL	USB terminal for Page Up/Down mouse control
SCANNING RATE	[H] 15 - 80 kHz, [V] 50 - 85 Hz, [Dot Clock] max 110 MHz
AUDIO SPEAKER	2 W Mono
HEIGHT ADJUSTER	Rear tilt leg x 2
HAND REMOTE UNIT	Power Point™ Page Up/Down via USB
POWER CONSUMPTION	280W
DIMENSION	10.27 x 8.58 x 3.43 inches (L x W x H)
WEIGHT	5.5 lbs.
POWER REQUIREMENTS	AC 100-240V, 50/60 Hz
FAN NOISE	34 dBA (Low mode: 29 dBA)
SUPPLIED ACCESSORIES	<ul style="list-style-type: none"> • Soft carrying bag x 1 • Remote control x 1 (with 2 batteries) • Power cable (2.9m), US x 1, EU x 1, UK x 1 • VGA (D-sub) cable x 1 • Composite cable (1.8m) x 1 • Owner's manual (CD-ROM) x 1 • Safety manual x 1 • Quick start manual x 1
OPTIONAL ACCESSORIES	<ul style="list-style-type: none"> • Lamp (VLT-XD110LP) • Wheeled ATA-Approved Shipping Case (XD10-ATAC) • Ceiling Mount (PROJ-UCM) • Learning remote (R-SC1)
WARRANTY	3-years or 10,000-hours on the TI-DLP DMD Chip, 2-years part and labor, 2-years Express Replacement Assistance (ERA), 90-days or 300-hours lamp warranty

SCREEN				DISTANCE FROM SCREEN (L)				Hd			
Diagonal Size		Width		Height		Max.Zoom		Min.Zoom			
inch	cm	inch	cm	inch	cm	inch	m	inch	m		
40	102	32	81	24	61	50	1.3	60	1.5	3.5	8.8
60	152	48	122	36	91	76	1.9	91	2.3	5.2	13.3
80	203	64	163	48	122	101	2.6	121	3.1	7.0	17.7
100	254	80	203	60	152	126	3.2	151	3.8	8.7	22.1
150	381	120	305	90	229	189	4.8	227	5.8	13.1	33.2
200	508	160	406	120	305	252	6.4	302	7.7	17.4	44.2
250	635	200	508	150	381	315	8.0	378	9.6	21.8	55.3
300	762	240	610	180	457	378	9.6	-	-	26.1	66.3



Unit measured in millimeters (mm)



MITSUBISHI DIGITAL ELECTRONICS AMERICA, INC.
 Presentation Products Division
 Toll Free: 888.307.0349
 Email: pppinfo@mdea.com
www.mitsubishi-presentations.com

Canada
 Mitsubishi Electric Sales Canada Inc.
 Information Technologies Group
 Phone: 905.475.7728
www.mitsubishielectric.ca



©2005 Mitsubishi Digital Electronics America, Inc. Standard features, options and specifications subject to change without notice. The DLP™ logo and DLP™ medallion are trademarks of Texas Instruments. Microsoft, Windows, and the Windows logo are registered trademarks of Microsoft Corporation. Mac and the Mac logo are trademarks of Apple Computer, Inc, registered in the U.S. and other countries. All other trademarks are the property of their respective holders.
 *The projector lamp contains mercury. Please dispose of properly.