EB-4770W

DATASHEET





















This 5,000-lumen installation projector has a WXGA screen resolution and produces bright, clear images

Ensure your important presentations look their best with bright, vivid and realistic colours. Utilising Epson's 3LCD projector technology and an equally high White and Colour Light Output, this WXGA projector can produce bright, high-definition images with superb colours even in a variety of ambient light levels.

High-quality content

Showcase your important presentations in the best possible way with the EB-4770W. Thanks to Epson's 3LCD technology, you can be sure that your projected images will feature accurate colours and clear detail. Your images will continue to look their best even in brightly-lit rooms thanks to high brightness and an equally high White and Colour Light Output.

Flexible connectivity

Bring your presentations to life with a range of high-definition content, which can be projected from a variety of devices connected via the HDMI and DisplayPort inputs. Content from these devices can also be displayed alongside content from another source, such as a separate laptop or Epson USB Visualiser, using the side-by-side split screen function.

Easy set-up and maintenance

Setting up the projector is quick and easy thanks to a variety of user-friendly installation features, meaning you can get started quickly. You can place the projector in a number of positions without fear of blurring or distorting the image thanks to its x1.8 wide zoom ratio, keystone correction and arc and point correction. We have also made it easy for you to keep your projections as bright and clear as possible. Both the lamp and filter are easy to replace, meaning maintenance is quick and straightforward

KEY FEATURES

- High brightness
 5,000lm White and Colour Light Output
- High definition WXGA resolution
- High-quality images 3LCD technology
- Rich, deep blacks 5.000:1 contrast ratio
- Split-screen
 Connect to different sources





PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology, RGB liquid crystal shutter

LCD Panel 0.59 inch with MLA (D8)

IMAGE

Colour Light Output 5,000 lumen- 3,000 lumen (economy)
White Light Output 5,000 lumen - 3,000 lumen (economy)

Resolution WXGA, 1280 x 800, 16:10

Contrast Ratio 5,000 : 1

Lamp 280 W, 4,000 h durability, 5,000 h durability (economy mode)

Keystone Correction Manual vertical: \pm 30 °, Manual horizontal \pm 30 °

High Definition HD ready Aspect Ratio 16:10 Colour Processing 10 Bits

OPTICAL

 Projection Ratio
 1.26 - 2.30:1

 Zoom
 Manual, Factor: 1 - 1.8

 Projection Size
 30 inches - 300 inches

 Projection Distance Wide
 1.4 m - 8.4 m (300 inch screen)

 Projection Distance Tele
 2.5 m - 15 m (300 inch screen)

Projection Lens F Number 1.65 - 2.55

Focal Distance 21.28 mm - 37.94 mm

Focus Manual
Projection Lens Zoom Ratio 1 - 1.8 : 1
Lens Optical

Lens Shift Manual - Vertical ± 50 %, horizontal ± 10 %

CONNECTIVITY

Interfaces RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), VGA in, VGA out, HDMI in, Display

Port, Composite in, BNC in, S-Video in, Stereo mini jack audio out, Stereo mini jack audio in

(4x), Cinch audio in

ADVANCED FEATURES

Security Kensington lock, Security bar, Control panel lock, Password lock

Features Direct Power on/off, Quick Corner, Six axis color control, Split-Screen-Function

Video Colour Modes Dynamic, Photo, Presentation, sRGB, Theatre, DICOM SIM

GENERAL

Energy Use 388 W, 298 W (economy), 0.39 W (standby)
Product dimensions 472 x 354 x 159 mm (Width x Depth x Height)

Product weight 6.6 kg

Noise Level Normal: 38 dB (A) - Economy: 30 dB (A) Included Software EasyMP Monitor, EasyMP Network Projection

Loudspeaker 10 W

OTHER

Warranty 36 months On site service or 8,000 h, Lamp: 12 months or 1,000 h

Optional warranty extension available

EB-4770W

WHAT'S IN THE BOX

- CD Manual
- Cable cover
- VGA cable
- Power cable
- Remote control incl. batteries



OPTIONAL ACCESSORIES

EB-4770W

- Lamp ELPLP77
 V13H010L77
- Air Filter ELPAF45
- V13H134A45

 Wireless LAN Adapter (b/g/n) ELPAP07
 V12H418P13
- Quick Wireless Connect USB key ELPAP09 V12H005M09
- Ceiling Mount (White) ELPMB22 V12H003B22
- Ceiling Mount (Low profile) ELPMB30 V12H526040
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14

LOGISTICS INFORMATION

SKU	V11H748041 V11H748040
EAN code	8715946549767
Dimensions Single Carton	762 x 432 x 324 mm
Carton Weight	12.9 Kg
Multiple Order Quantity	1 Units
Country of Origin	China
Pallet Size Euro	16 Units



^{*} Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com
Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece 210-8099499 Hungary 06800 147 83 Ireland 01 436 7742

Helaid 01 436 7/42 (142) Hall 01 (142) Hall 01 (142) Hall 02 (142) Hall 02 (142) Hall 02 (142) Hall 02 (142) Hall 03 (142) Hall

South Africa (+2711) 465-9621 Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

