



Play Big SP7205 InFocus

Play Big SP7205

Your standards have been surpassed.

Flawless images. Check. Impeccable video performance. Check. Photography-grade optical lens from Carl Zeiss. Check. Extraordinary value. Check. Looks like you're done shopping for a new top-of-the-line home-theater projector. The InFocus Play Big SP7205 has every requirement you can think of. In fact, it's the first to combine exclusive high-definition 0.8" Mustang HD2+ 720p from Texas Instruments® with proprietary enhanced DCDi™ technology from Faroudja®. It's built on the platform awarded Best Video Product by the Custom Electronic Design Installation Association. And it's perfectly calibrated right out of the box to D65 color standards. What does that mean for your home theater? Nothing but the best.

Learning curves are for school.

Remember the first time you programmed a VCR? Drove a clutch? Used your microwave? Now forget all those mind-bending experiences. You probably can't imagine how easy it is to turn on and use a SP7205 projector.

A few examples:

- Enjoy setup in a snap with a simple keypad and a full-featured remote control.
- An icon-based menu allows you to quickly scroll and select your settings in your choice of 12 languages — without interrupting the show.
- Intuitive design, controls, and easy-to-reach connections allow you to quickly and concurrently hook up your DVD player, VCR, cable or satellite receiver, game console, camcorder, even your PC.



Seamless connectivity – the world of entertainment awaits you.

InFocus



Pure images. Pure wow.

With a stunning 2200:1 calibrated contrast ratio and 1100 video-optimized lumens, your SP7205 displays crisp, pop-off-the-screen images against true blacks and detailed grayscale at correct SMPTE brightness on large screens.

Here are a few more show-stopping features:

- Native HD resolution ensures pixel-to-pixel match from the source.
- The custom-designed 7-segment color wheel improves upon existing 6-segment wheels by providing more bit depth, resulting in significantly smoother images.
- The new "ALPS" HD2.5 DMD doubles your contrast.
- An all-glass Zeiss zoom lens contributes to a sealed optical system.

Enduring Quality

If you're happy, InFocus is happy. That's why every InFocus projector comes with a standard two-year limited factory warranty (including parts and labor) and a 90-day lamp-replacement warranty.

Optional Accessories

Projection Screens
Performance Cables for Digital and HDTV
Ceiling Mount
Cable Adapters

For more information about the SP7205, any InFocus home projector, optional accessories, or service programs please visit: www.infocus.com



InFocus Corporate Headquarters:

27700B SW Parkway Avenue
Wilsonville, Oregon 97070-9215, USA
Phone: 503-685-8888
1-800-294-6400
Fax: 503-685-8887

In Europe:

Strawinskylaan 585
1077 XX Amsterdam
The Netherlands
Phone: (31) 20 5792000
Fax: (31) 20 5792999
Freephone: 008000 4636287 (008000 INFOCUS)

In Asia:

#07-01, Tanglin Shopping Centre
19 Tanglin Road
Singapore 247909
Phone: (65) 6334-9005
Fax: (65) 6333-4525

INFOCUS TECHNICAL SPECIFICATIONS*

COMPATIBILITY

Video	Component and RGB HDTV (720p, 1035i, 1080i, 1080p-24Hz), 24p. DVI with HDCP for digital video and encrypted digital video. Component EDTV (480p, 576p progressive scan), Component, Composite and S-Video standard video (480i, 576i, RGB SCART with adapter), NTSC, NTSC M 4.43, PAL: B, G, H, I, M, N; SECAM: M, including 60Hz to 48Hz conversion of NTSC film-based content
Computer:	Digital and analog PC, Macintosh®, 1280 x 1024 resolution through intelligent resizing
Communication:	USB and RS-232

INPUTS & OUTPUTS

2 - Component (Gold RCA):	HDTV, EDTV, and Standard TV component
1 - Component (D5):	HDTV, EDTV, Standard TV, and RGB SCART with adapter
2 - S-Video:	Standard Video
1 - Composite (RCA):	Standard Video
1 - DVI (Ma):	HDTV RGB, HDTV Component, Digital Visual Interface (DVI) with HDCP decryption, computer, and USB, HDMI via available adapter
1 - HD15 VESA:	HDTV RGB, HDTV component, and computer
1 - 9-pin Dsub Male:	RS-232
1 - 3.5mm Mini-Jack:	IR Repeater (Niles/Xantech compatible)
2 - 3.5mm Mini-Jack:	1-12V screen-drop, 1-12V 4:3 aspect "curtains"

DISPLAY

Projection System:	New TI Mustang HD2+ 12° LVDS DMD
Resolution:	1280 x 720 (16:9)
Projection Lens:	All glass, Zeiss designed. F/2.7 (wide), F/3.1 (tele)
Color Wheel:	Proprietary, 7-segment color wheel, (6500K color temperature)
Calibrated Contrast Ratio:	2200:1 full on/full off
Lamp (dual mode)**:	220-Watt UHP (3000 hours); 250-Watt UHP (2000 hours)
Video Optimized Lumens:	1100 ANSI max
Modes:	Front/rear/ceiling mode
Focusing Distance:	5' / 1.5m to ∞
Keystone Correction:	Digital, up to +/- 20° vertical, +/- 9° horizontal
SMPTE Brightness:	Up to 3.4m (133"/11') wide, 16:9 screen (based on 1100 lumens max)
Throw Ratio:	1.67:1 - 2.08:1 (distance/width)

GENERAL

Size:	13.8" (W) x 12.8" (L) x 4.3" (H) / 35.1cm x 32.5cm x 11.0cm
Weight:	9.5 lbs/4.3kg
Power Supply:	100V - 240V at 50 - 60 Hz
Power Consumption:	350 watts maximum
Operating Temperature:	10° - 40° C at sea level (0 - 10,000'); 50° - 104° F
Conformances:	UL, CSA, TUV, C Tick, NOM, MIC, GOST, IRAM, CCC, S-JQA, FCC B, EN55022, ICES-003
Ships with:	Power cord, Director remote, cable cover
Warranty:	Two-year standard warranty on parts and labor, 90 day on accessories
Lamp Warranty:	90 days
Menu Languages:	English, Spanish, French, German, Japanese, Korea, Portuguese, Italian, Norwegian, Russian, Chinese Simple, Chinese Traditional

* InFocus reserves the right to alter product offerings and specifications at any time without notice.

** Actual lamp life may vary based on the ambient environment. Conditions that may affect lamp life include temperature, altitude, and rapidly switching the projector on and off.