

# Work Big LP120

# The world is your stage.



You've got your mobile phone, your PDA and your laptop. What happens when you add an ultra-hip, mega-powerful projector that weighs just 1.98 lbs. (.9 kg) to the mix? Think the InFocus Work Big LP120 projector. Doors open. Deals close. Eyes widen. Eyebrows raise. You no longer worry about scheduling the right meeting room at the right time. You simply take the whole team to the closest coffee shop — or cubicle. You present bright, sharp images in 16.7 million brilliant colors. You feel the adoration of your audiences and the envy of certain coworkers. You experience a sudden surge in confidence due to the massive cool factor you're projecting. And you never sacrifice features for mobility.

#### Play with your projector.

Spontaneity comes naturally with the LP120 packed in your briefcase right beside your laptop. The sleek magnesium frame makes it look like a space-age toy. But it's the futuristic technology inside that will truly cause you do a double-take. And when it comes to operating this coveted machine? Intuition is the name of the game. The LP120 lets you do all the following and much more:

- → Pack your projector in your briefcase or other bag right next to your laptop.
- → Enjoy the clear, full-screen detail enabled by native XGA resolution.
- → Blow audiences away with 1000 ANSI lumens of outstanding brightness.



······ InFocus

## Easy and seamless.

Impressing audiences has never been easier:

- > Hook up in seconds with color-coded ports and cables.
- Use the interactive display to ensure smooth, glitch-proof presentations.
- Access common functions with the integrated keypad.



### **Enduring Quality**

If you're happy, InFocus is happy. That's why every InFocus projector comes with a standard two-year limited factory warranty (including parts and labor) and a 90-day lamp-replacement warranty.

#### Ships standard with

- Wireless Interlink® Presenter Remote Control (including batteries)
- 3 m/10 ft. Power Cord (national and regional variants)
- 2 m/6.8 ft. M1-A Analog Computer Cable with USB
- 1.8 m/6 ft. S-Video Cable
- S-Video to RCA Video Input Adapter
- 1.8 m/6 ft. Audio Cable
- Audio Cable Adapter
- ---> Projection Lamp Module
- Color-Coded Cable Ties, 3 set
- SCART Adapter (Europe only)
- Protective Sleeve
- ---> Accessory Pouch
- Projector System CD (includes multilanguage user's guide, ProjectorManager control software)
- Quick Setup Guide
- Tethered Lens Cap
- User Guide (printed version)
- --- Safety Instructions/Warnings

### **Optional Accessories**

Projection Screens
Performance Cables
Enhanced Remote Controls
Universal Travel Cases

For more information about the LP120, any InFocus business projector, optional accessories, or service programs please visit: www.infocus.com



# InFocus Corporate Headquarters:

Phone: 503-685-8888 1-800-294-6400 Fax: 503-685-8887

27700B SW Parkway Avenue

Wilsonville, Oregon 97070-9215, USA

#### In Europe:

Strawinskylaan 585 1077 XX Amsterdam The Netherlands Phone: (31) 20 5792000 Fax: (31) 20 5792999 Freephone: 008000 4636287 (008000 INFOCUS)

#### In Asia:

#07-01, Tanglin Shopping Centre 19 Tanglin Road Singapore 24,7909 Phone: (65) 6334-9005 Fax: (65) 6333-4525

InFocus, In Focus, INFOCUS (stylized), Play Big, Work Big, LP, and SP are either registered trademarks or trademarks of InFocus Corporation in the United States and other countries. DLP, the DLP logo, and the DLP medallion are trademarks of Texas instruments. All other trademarks are used for identification purposes only and are the property of their respective owners in this and other countries. @2006 InFocus Corporation. All rights reserved. Part Number: 80-2065-05, WB IP12-05 E 012666.

#### INFOCUS TECHNICAL SPECIFICATIONS<sup>†</sup>

Native Resolution	XGA 1024 x 768
Display Technology	DLP® by Texas Instruments®: 0.7" XGA 12° DMD DDR
Input Sources	Computer (M1-DA), video (S-Video; RCA via standard S-Video to RCA input adapter),
	audio (3.5 mm mini jack)
Output Sources	N/A
Computer Compatibility	SXGA, XGA, SVGA, VGA, Macintosh®
Video Compatibility	Full NTSC, PAL, SECAM
Brightness	1000 max ANSI lumens
Contrast Ratio	2000:1 full on/full off
Number of Colors	16.7 million
H-Synch Range	15 – 100 kHz
V-Synch Range	43.5 – 130 Hz
Pixel Clock	Digital 112 MHz (max); analog 135 MHz (max)
Lens Shift	10:0 – 1:1 motorized vertical lens shift
Digital Keystone Correction	+/- 7.5° vertical correction; data/video
Image Offset	112%
Projection Lens	Zoom lens with manual focus and manual zoom adjust
Throw Ratio	1.8 – 2.1:1 (typical)
Minimum Projection Distance	1.5 m (maximum distance 5.0 m)
Aspect Ratio	4:3
lmage Size (diagonal)	2.9' to greater than 11.5'/o.9 m to greater than 3.5 m
Projection Methods	Front and rear
Audio	1-watt speaker
Control	Projector keypad; IR remote control; wired control through USB
Lamp*	120W UHP/2000 (typical)
Dimensions	2.05" (H) x 3.69" (L) x 9.75" (W)
	5.21 cm (H) x 9.37 cm (L) x 24.77 cm (W)
Weight	1.98 lbs./o.9 kg
Power Consumption	150 watts
Power Supply	100V – 240V at 50 – 60 Hz
Operating Temperature	5° – 40° C at sea level (o' – 10,000'), 41° – 104° F
Menu Languages	English, Norwegian, Spanish, Italian, Portuguese, German, French, Chinese (simplified),
	Chinese (traditional), Japanese, Russian, Korean
Audible Noise	36dB
Approvals	FCC A (US/Canada), S-JQA (Japan), PSE (Japan), CCC (China), IRAM (Argentina),
	GOST (Russia), UL & cUL (US/Canada), TUV GS (Germany), NOM (Mexico),
	MIC (Korea), C-Tick (Australia)
Lamp Warranty	90 days
Product Warranty	2 years: parts and labor
Accessory Warranty	90 days

- † InFocus reserves the right to alter product offerings and specifications at any time without notice.
- \* Actual lamp life may vary based on the ambient environment. Conditions that may affect lamp life include temperature, altitude, and rapidly switching the projector on and off.