

mobile projector

LP[®]70

Unmatched portability. Unlimited performance.
The ideal business tool to share your ideas anywhere.



- | | |
|---------------------------|--|
| BRIGHT IMAGE DISPLAY | 1100 max ANSI lumens |
| NATIVE XGA RESOLUTION | Clear, full screen detail |
| INTELLIGENT ELECTRONICS | Sensors detect ambient room light and automatically optimize the image |
| SILENT OPERATION | One of our quietest projectors yet at 32dB |
| HIGH CONTRAST, RICH COLOR | Outstanding image clarity in most any environment |
| ONE-TOUCH IMAGE RESIZING | Intuitive optical zoom lens |
| LONG-LIFE LAMP | Best in class—3000 hours of lamplife |



InFocus[®]

LP70[®]

KNOWLEDGE IS POWER. SHARE YOURS.

Whether you're presenting or simply capturing information in a group meeting, you won't want to be without the InFocus LP70. 1100 powerful max ANSI lumens flood any room with brilliant color and unparalleled clarity. Integrated data, video and audio yield a projector that's ready to make your multimedia presentation larger than life.

OVERACHIEVER, UNDER BUDGET

We squeezed a full-featured projector into a convenient package that won't blow your budget. Overachieving? Maybe. Affordable? Absolutely. A great investment for you and your company, the LP70 raises the bar without raising the price. Its long lamp life shines for an incredible 3000 hours, reducing your total cost of ownership. It's a powerful collaboration tool that makes meetings efficient and more portable than ever.

BUSINESS TOOL AND TRAVELING COMPANION IN ONE

The must-have LP70 combines seamless connectivity, exceptional image quality and rich multimedia performance in an intuitively designed solution. The result? You get the best of all worlds in a smaller, more powerful projector that enables you to collaborate anywhere.

CHANGING THE WORLD ONE MEETING AT A TIME

There's a reason "Mine" was your first word. An ideal partner to your notebook PC, the LP70 completes your personal cutting-edge suite of digital tools. Deliver your message with a tool that's proven to yield higher information retention rates. Weighing less than 2.4 lbs/1.1kg it can go wherever you go, making it easy



Optimized for performance and portability
2.4 lbs/1.1 kg


Security lock
should you need to leave the projector set up overnight

Leveling foot
for perfect image placement

Audio input
built-in 1-Watt speaker

to share information at a moment's notice. Your colleagues, your boss, your team—everyone will benefit from the LP70. A built-in M1-DA connector gives the LP70 seamless digital-to-digital connectivity. And it's EDTV (Enhanced Definition Television) compatible—you can reap the benefits of enhanced resolution images anytime and project them with ease.

Budgets have limits. Collaboration shouldn't.



GREAT MINDS THINK ALIKE

Like you, the LP70 makes a great impression. Its sleek, savvy design turns heads before you turn it on and its compact size makes it the must-have tool for any meeting with 2 or more people. Outstanding image quality communicates your message efficiently and effectively.

FEAST YOUR EYES ON A NEW WAY TO COLLABORATE


Meetings will never be the same again. The LP70 puts the focus on your ideas wherever you are. Change rooms, change audiences, change cities—the compact LP70 provides flexibility for any environment.

WHAT GOES UP MUST COME DOWN

The LP70 is optimized for quick setup. Setting up before and taking down after a meeting has never been easier. No sales force or conference room should be without one. As a personal business tool the LP70 is optimized for performance and portability.

INTUITIVE DESIGN, IMPRESSIVE FEATURE SET

Exclusive ProjectorManager™ control software allows projector control via the PC, enhanced presentation effects, even logo and startup screen customization. Adjust control source, color, tint, brightness and keystone quickly and easily. And should you need technical support, ProjectorManager emails a snapshot of the projector information so you don't need to waste time searching for details or guessing which projector model you have. ProjectorManager even provides power users the ability to freeze the projected image, for last-minute content changes without distracting your audience. Picture-in-Picture allows you to display multiple, simultaneous sources; magnification enlarges key areas of an image for greater detail; and masking lets you reveal complex images one section at a time.



InFocus®



LEADERSHIP BUILT ON QUALITY

InFocus Corporation is the worldwide leader in digital projection. Our dedication to quality and customer satisfaction is reflected in service options that will bring you a greater return on your investment.

Most InFocus projectors come with a standard two-year limited factory warranty, including parts and labor and a 90-day lamp replacement. Our customer service support offers you premium service and convenience, whatever your needs.

For service program details in your region, please visit:

www.infocus.com/service/service_offerings



Ships Standard With:

- **Wireless BatMouse IV remote control (including batteries)**
- **Power cord (national and regional variants)**
- **M1-A analog computer cable with USB**
- **Composite video cable**
- **Audio cable**
- **Soft carry case**
- **Projector System CD includes: multi-language User Guide, projector Quick Start Card, ProjectorManager™ control software, ProjectorManager Installation Guide, Projector-Manager User Guide**
- **Quick Start Card (printed version)**
- **Lens cap**
- **User Guide (printed version)**
- **Safety instructions/warnings**

Optional Accessories

CA-EXE-002	Executive Leather Carry Case
SP-LAMP-003	Replacement lamp
CA-ATA-010	ATA approved shipping case
CA-DLX-001	Deluxe Euro-style soft carry case
CA-WHL-002	Samsonite® Deluxe Compact Travel Case
HW-VGA2OUT	1-in/2-out VGA splitter (monitor loop-thru)
SP-LOCK	Projector security lock
HW-RF-POCKTPNT	MindPath RF PocketPoint Presentation Remote Control, Americas Only
A650	50"/127 cm Portable Projection Screen
HW-DLXSCRN	60"/152 cm Portable Projection Screen
HW-WALLSCR84	84"/213 cm Ceiling/Wall Mountable Screen

Call InFocus or your dealer today to arrange a demonstration.

TECHNICAL SPECIFICATIONS

Native Resolution	• XGA 1024 x 768
Display Technology	• DLP™ by Texas Instruments: 0.7" XGA DMD DDR
Input Sources	• Computer (M1-DA), video (S-Video and RCA), audio (3.5mm mini jack)
Computer Compatibility	• VGA through SXGA, 1152, Macintosh*
Video Compatibility	• NTSC 3.58, NTSC 4.43, PAL (all), SECAM (all), SDTV (480i), EDTV (480p)
Brightness	• 1100 max ANSI lumens
Contrast Ratio	• 1100:1 full on/full off
Lamp	• 120W UHP/3000 Hours*
Digital Keystone Correction	• ±15° vertical correction; data/video
Image Offset	• 110%
Projection Lens	• Zoom Lens with manual focus and manual zoom adjust
Throw Ratio	• 1.85 – 2.35:1
Minimum Projection Distance	• 5'/1.5 m (maximum distance 32.3'/9.8 m)
Aspect Ratio	• 4:3 (standard); 16:9 (video, data)
Audible Noise	• 32dB
Number of Colors	• 16.7 million
Image size (diagonal)	• 2.7' to greater than 22.2' (0.8 m to greater than 6.5 m)
Projection Methods	• Front, rear
Audio	• 1-Watt mono
Control	• Projector keypad; IR remote control; Wired control through USB
Dimensions	• 2.5" (H) x 6.1" (L) x 7.8" (W) 63.4 mm (H) x 148.8 mm (L) x 199.0 mm (W)
Weight	• 2.4 lbs/1.1 kg
Power Supply	• 100V – 240V at 50 – 60 Hz
Power Consumption	• 155-Watt
H-Synch Range	• 15 – 100 kHz
V-Synch Range	• 43.5 – 130 Hz
Dot Clock	• 12 – 135 MHz
Operating Temperature	• 5° to 40° C at sea level (0 to 10,000'); 41° – 104° F
Menu Languages	• English, Norwegian, Spanish, Italian, Portuguese, German, French, Chinese (simple), Chinese (traditional), Japanese
Lamp Warranty	• 90 days or 500 hours
Product Warranty	• 2 years parts and labor
Accessory Warranty	• 1 year

*Actual lamp life may vary based on the ambient environment. Conditions that may affect lamp life include temperature, altitude or rapidly switching the projector on and off.

PROJECTION DISTANCE/IMAGE SIZES†

Distance to Screen	Min. Diagonal Image Size	Max. Diagonal Image Size
5.0'	1.5 m	2.7'
10.0'	3.0m	5.3'
15.0'	4.6m	8.0'
20.0'	6.1m	10.6'
30.0'	9.1m	16.0'
32.8'	10.0m	17.5'

† Image diagonal divided by throw distance ranges from .53 (tele) to .68 (wide) typical.

www.infocus.com

InFocus Corporate Headquarters:

27700B SW Parkway Avenue • Wilsonville, Oregon 97070-9215, USA
Phone: 503-685-8888 • 1-800-294-6400 • Fax: 503-685-8887

In Europe: InFocus International BV

Strawinskylaan 585 • 1077 XX Amsterdam, The Netherlands
Phone: (31) 20 5792000 • Fax: (31) 20 5792999
Freephone: 008000 4636287 (008000 INFOCUS)

In Asia: 238A Thomson Road • #18-01/04 Novena Square

[Singapore 307684 • Telephone: (65) 6334-9005 • Fax: (65) 6333-4525

InFocus and LP are registered trademarks of InFocus Corporation. All other trademarks are used with permission or are for identification purposes only and are the property of their respective companies. ©2003 InFocus Corporation. All rights reserved. 805-0542-02. LP70_DS_E.qxd