

# TOSHIBA



## x2500

Original Colours.  
Original Design.  
Original Toshiba.

- Unique image quality by NCE 3™-chip
- With detachable control panel
- High security by password function and panellock




LCD stands for Liquid Cristal Displays  
NCE 3: Colour optimization by Toshiba  
for LCD projectors



## x2500

Immerse yourself  
in a world of colour.

- Display** 0.63" LCD Chip
- Resolution** XGA 1,024 x 768
- Brightness** 2,500 ANSI-lumens
- Colour reproduction** 16.7 mio. colours
- Contrast** 600 : 1
- Projection format** 4 : 3 switchable to 16 : 9
- Lamp** 200 W (TLPLW11LAMP)
- Max. lamp life** up to max. 2,000 hours/  
up to max. 3,000 hours in ECO mode
- Lens** F = 1.6 - 1.89 / f = 18.6 - 22.3 mm, manual focus and zoom
- Zoom** 1.2 x
- Frequency (hor./vert.)** 16 - 106 kHz / 50 - 85 Hz
- Projection** front, rear and ceiling
- Digital keystone correction** auto vertical +/- 30°
- Picture size (diagonal)** 0.84 m - 7.62 m
- Projection distance** 1.15 m - 8.8 m
- Input signals** NTSC / PAL / SECAM, 480i, 480p, 576i, 576p, 720p, 1.080i, VGA / SVGA, XGA / SXGA / UXGA (compr.)
- Inputs** RGB (D-sub 15), S-video, composite video (1 x RCA), RGB audio (stereo mini jack), video / S-video audio (1 x RCA L/R)
- Outputs** RGB (D-sub 15), audio (stereo mini jack)
- Serial interface** RS-232C (mini DIN8 pin)
- Power supply** AC 100 - 240 V, 50 / 60 Hz
- Loudspeaker** 1 W mono
- Dimensions (W x H x D)** 288 x 92 x 247 mm
- Weight** 2.8 kg
- Operation noise** standard 34 dB / ECO mode 29 dB
- Specials** security-function, user logo, password, panellock, NCE 3, with detachable control panel, quick start / instant shut down (5 sec.), black board-function
- Accessories** mouse remote control with laserpointer and batteries, owners manual (CD ROM), quick reference, RGB and power cable, softcase
- Options** ceiling mounting, trolley, spare lamp, camera c001



Picture size	Projection distance
A 0.84 m	1.15 m
B 1.52 m	1.74 - 2.10 m
C 2.54 m	2.91 - 3.51 m
D 5.08 m	5.86 - 7.05 m
E 7.62 m	8.80 m