




Because it matters

Dealer's Stamp

Headquarters BenQ Corporation 16 Jihu Road, Neihu, Taipei 114, Taiwan Tel : +886-2-2727-8899 Fax : +886-2-2797-9288	Asia Pacific BenQ Asia Pacific Corp. 12 Jihu Road, Neihu, Taipei 114, Taiwan Tel : +886-2-2727-8899 Fax : +886-2-2656-2438	China BenQ (IT) CO., Ltd 268 Shishan Road, Suzhou 215011, China Tel : +86-512-6807-8800 Tel : +86-512-6824-1351	North America BenQ America Corp. 3200 Park Center Drive, Suite 150, Costa Mesa, CA 92626 U.S.A. Tel : +1-714-559-4900 Fax : +1-714-557-0200	Europe BenQ Europe B.V. Meerenakkerweg 1-17 5652 AR Eindhoven Tel : +1-714-559-4900 Fax : +1-714-557-0200	Latin and Central America BenQ Latin America Corp. 8200 N.W. 33 Street, Suite 301 West Side Plaza III Miami, FL 33122 U.S.A. Tel : +1-305-4211200 Fax : +1-305-4211201
---	--	---	--	---	---

© 2014 BenQ Corp. Specification may vary by region, please visit your local stores for details. Actual product's features and specifications are subject to change without notice. This material may include corporate names and trademarks of third parties which are the properties of the third parties respectively. Doc.: PRJ_HB_EN_0701



Powerful, Brilliant and
Reliable For Large Venue Installation



PX9710 / PW9620 / PU9730 / PX9600 / PW9500
BenQ Professional High Brightness Installation Projectors





Stunning Visual Impact with Flexible Installation and Easy, Reliable Operation

- Advanced, yet simple installation flexibility
- Breathtaking DLP picture quality
- Powerful, yet easy operation
- Hassle-free maintenance and steadfast reliability



BenQ, the world's #1 bestselling DLP projector brand, delivers industry-leading refinements and features in its new Professional High Brightness Optional Lens Series fixed-installation projectors. Pioneering features such as innovative HD Connect connectivity and lens memory augment the already-comprehensive installation advantages including compatibility with leading third-party lenses and omnidirectional projection dexterity. Similarly, breakthrough high brightness and resolution, a brand-new mechanical shutter, and new cooling / monitoring / maintenance features ensure the highest value and performance for installers, IT managers, and presenters alike in any venue or application.

The Art and Science of Installation Versatility


Lens Options and Compatibility

Optimizing projector performance for all venues and applications, seven types of optical lenses comprising short-throw to long-throw are available. Featuring all-glass construction for ultraclear focus and high apertures for brighter images, these lenses are made in Japan for the highest optical quality control. In addition, an integrated adapter for leading third-party I-chip DLP lens design means installers can keep the main lens of an existing projector in replacement installation scenarios.




360° Rotation-Capable Projection

The projector can be tilted vertically at any angle, allowing projection onto ceilings, walls, floors, or angled signage. The possibilities of impactful visuals in shopping centers, galleries, museums, and theaters are endless.



Motorized Zoom, Focus, and Lens Shift

The convenience and wide range of the powered zoom, focus and horizontal / vertical lens shift systems deliver perfectly proportioned images despite installation or placement challenges in any venue. Manual labor to relocate / reconstruct mounting locations is replaced simply by remote-control adjustments that allow omnidirectional adjustments to projection targets.




Lens Memory

Equipped with ten customizable memory settings for image size, position, and focus, the projector detects and optimizes source material with various aspect ratios onto the projection area. Users can easily recall lens settings without tedious adjustments, such as when maximizing full-screen viewing of different aspect ratios onto a 2.35:1 screen for a cinematic experience.



Central Lens Design and Hotkey

A new symmetrically centered lens design allows easy installation without the need for special considerations for offset installation. Additionally, in cases where horizontal or vertical lens shift has been applied, a hotkey quickly returns the projector to factory default for use in different environments and installations.




The protection lens is placed at the center.

Center Lens Hotkey


Comprehensive Built-in Test Patterns

Precision installation and setup is facilitated by 14 integrated test patterns, which allow easy calibration of linearity, color fidelity, bleed, and distortion.



HD Connect Advanced Digital Connectivity

Groundbreaking HD Connect connectivity combines video, audio, and device control signals from multiple sources including PCs, laptops, document cameras, Blu-ray, DVDs and gaming consoles onto a single CAT5 cable, capable of lossless transmissions up to 100 meters. This incredibly efficient and cost-effective connectivity is also ideal for ceiling-mounted and other permanent installations.



Spectacular Picture Quality for Captivating Visual Communication

Ultra High Brightness up to 7700 Lumens*


Even large-scale projection in bright environments remain clear and sharp with BenQ's high brightness technology powered by BenQ's unique dual-lamp design. The enhanced luminance boosts vivid color intensity and depth for lights-on presentations allowing audience interaction and note-taking.



*7700 lumen brightness available on PX9710 model.

Ultra High Resolution up to WUXGA*

With up to 2.3 million pixels of resolution far surpassing 1080p, audiences can view even high-quality Full HD content in breathtaking clarity, and presenters can show more content and detail without sacrificing legibility. High resolution brings out fine details and produces more lifelike three-dimensional appearance for pictures while resolving even small text with crisp precision.



*WUXGA available on PU9730 model.

High Optical Quality Lens


Far superior to plastic lenses, BenQ High Brightness Projectors feature all-glass lenses for crystal clear focus and bright, vibrant images.


Long-Lasting DLP Image Perfection

Utilizing a nearly-sealed DLP projection engine, BenQ projectors exhibit virtually no image distortion from panel aging due to heat or dust buildup. Millions of micro mirrors on the advanced DMD chip reflect pure light through the color wheel, producing precise details and intensely saturated colors without degradation over time.

Interchangeable Color Wheel

An additional RGBYCM 6-segment color wheel is included as a standard accessory, which can be used to enhance subtle color details and mid-tones for more lifelike images and video. For operation in very brightly-lit lighting conditions, the built-in RGBYCW 6-segment color wheel ensures vibrant, bright images and presentation clarity.






Hassle-Free Maintenance and Dependable Reliability

Dual-Lamp System for Uninterrupted Presentations

Employing two lamps for optimal brightness, the Dual-Lamp System also eliminates interruptions during presentations and viewing in case one of the lamps burns out. The system also detects remaining lamp life and balances individual lamp life in single-lamp mode.



Integrated Filtration

Serving as additional protection to the nearly sealed DLP engine, two advanced filters ensure maximum performance even when the projector must be installed during dusty construction periods. The pleated, highly-protective filters can be easily cleaned or replaced from the front or right side of the projector, even if it is ceiling-mounted.



Advanced Air-Cooled Projection

An array of 10 fans thermodynamically arranged to maximize cooling maintains controlled operating temperatures and optimal projector performance even under extreme conditions, minimizing risk of thermal damage and consequent repair/maintenance costs.




Solid-State Heat-Pipe Cooling System

Utilizing a quiet, simple structure without moving parts or messy liquid chemicals, the copper heat-pipe system provides highly reliable cooling without complicated maintenance or environmental impact.

Multi-Projector Management via LAN (AMX/CRESTRON/PJ-Link)

IT managers can conveniently operate and check the status of multiple remote projectors via LAN to minimize cost and resources. The LAN interface is compatible with PJ-Link, Crestron, and AMX control systems for convenient system integration with various third-party components.



Clear LED Indicators

A set of six LED indicators provide notification for lamp replacement and facilitate other troubleshooting processes.




Eco-Conscious Standby Modes

Adhering to strict European regulations, networked standby power consumption is cut down to a miserly 6 watts to reduce environmental impact and total cost of ownership. When in eco mode, power consumption is a miniscule 0.5 watts.

Intuitive Operation and Total Ease of Use


Mechanical Shutter

For situations that require total darkness, such as during concerts, the mechanical shutter completely blocks out light to eliminate light leakage. This feature is also ideal for edge blending in multiple projector arrays, allowing color adjustment of the adjacent projector without interference.



Offline Cooling

An integrated capacitor keeps the cooling system operational in case of power outage, preventing heat damage to the lamps. This smart solution helps eliminate unexpected cost and downtime.



Quick-Release Button for Lens Swaps

The hot-swappable lens unlocks instantly with the quick-release button for lens changes.



Convenient Lamp & Color Wheel Access

Quick-access doors for lamp change are located at the rear side of the projector, allowing easy lamp replacement while the projector remains in the mounting bracket or dual stacked. For ceiling mount applications, a safety wire prevents the lamp from falling out. The color wheel is accessible from the top for convenient switching of the RGBYCM/RGBYCW color wheels.



Dual Side Handles

Dual side handles located at the bottom of the projector increase portability and allow two people to carry the projector comfortably.



- PVC-free plastic packaging
- BFR/PVC-free casing plastics
- Certain phthalate-free wires/cables

- Arsenic-free optical glass
- >85% recycled papers in packaging box
- Eco-friendly ink printing in packaging box and user manual



